

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/696,463	10/30/2003	Ming-Tien Lin	237098US-2	6011
27765	7590 08/09/2006		EXAMINER	
NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION			CHOWDHURY, TARIFUR RASHID	
	P.O. BOX 506 MERRIFIELD, VA 22116		ART UNIT	PAPER NUMBER
			2871	
			DATE MAILED: 08/09/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	10/696,463	LIN ET AL.
Office Action Summary	Examiner	Art Unit
	Tarifur R. Chowdhury	2871
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perion. - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 1.136(a). In no event, however, may a reply be ti od will apply and will expire SIX (6) MONTHS from tute, cause the application to become ABANDONE	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 30 This action is FINAL . 2b) ☑ TI Since this application is in condition for allow closed in accordance with the practice unde	his action is non-final. vance except for formal matters, pr	
Disposition of Claims		
4) ☐ Claim(s) 1-28 is/are pending in the application 4a) Of the above claim(s) 8-28 is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-7 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and Application Papers 9) ☐ The specification is objected to by the Examination 10) ☐ The drawing(s) filed on 30 October 2003 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of th	iwn from consideration. d/or election requirement. iner. ire: a)⊠ accepted or b)□ objected the drawing(s) be held in abeyance. Se ection is required if the drawing(s) is objected the drawing(s).	e 37 CFR 1.85(a). sjected to. See 37 CFR 1.121(d).
	Examiner. Note the attached emoc	7. Action of 10 mm 1 1 0 102.
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a li	ents have been received. ents have been received in Applicat riority documents have been receive eau (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date 	Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate Patent Application (PTO-152)

Application/Control Number: 10/696,463 Page 2

Art Unit: 2871

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 30, 2006 has been entered.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of

Art Unit: 2871

the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

- 5. Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over applicant's admitted prior art (AAPA) in view of Okada et al., (Okada), USPAT 6,633,360.
- 6. As to claim 1, AAPA discloses a liquid crystal display (LCD) device (fig. I b, ref. 10) including a plurality of pixel areas, each pixel area comprising a pixels area (fig. 1b, ref. Ra) defined by a first transverse-extending gate line (fig. 1b, ref. 12a), a second transverse-extending gate line (fig. 1b, ref. 12b), a first lengthwise-extending data line (fig. 1b, ref. 14a), and a second lengthwise-extending data line (fig.1b, ref. 14b), a pixel electrode formed overlying the pixel area (fig. I b, ref. 16), a switching element (fig. 1b, ref. 18a; pg. 2, lines 7-8) electrically connected to the pixel electrode, and a first shielding layer (fig. 1b, ref. 22a) that is parallel to the first data line and adjacent to the first data line.

However, the reference fails to specifically disclose that the first light shielding layer is directly connected to the first gate line.

Okada discloses an active matrix type liquid crystal display apparatus wherein a light-shielding layer is directly connected to the gate line. He also discloses that such an structure is advantageous since it suppresses shadowing phenomenon due to differences capacitances and thus prevent "block separation" (col. 7, lines 13-24).

Okada is evidence that ordinary workers in the art would find a reason, suggestion or motivation to directly connect the first gate line and the first light-shielding layer.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the display device of the AAPA by directly connecting the first light-shielding film with the first gate line to prevent block separation, as per the teachings of Okada.

Accordingly, claim 1 would have been obvious.

As per claim 2, AAPA discloses the LCD device as recited above where the first shielding layer (fig. I b, ref. 22a) overlaps the periphery of the pixel electrode (fig. 1b, ref. 16) to provide a first overlapping portion.

Regarding claims 3-4, AAPA discloses the LCD device as recited above having a second shielding layer (fig. 1b, ref. 22b) parallel to the second data line (fig. I b, ref. 14b) and adjacent to the second data line that is not electrically connected to the first gate line.

7. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over AAPA in view of Okada and further in view of Watanabe et al., (Watanabe), USPAT 5,859,677.

8. The AAPA discloses the LCD device as recited above, however, when modified by Okada fails to specifically disclose that the space between the first data line and the periphery of the pixel electrode is a liquid crystal reverse region and the spacing between the second data line and the periphery of the pixel electrode is a liquid crystal non-reverse region.

Watanabe discloses an LCD where the space between the first data line and the periphery of the pixel electrode is a liquid crystal reverse region and the spacing between the second data line and the periphery of the pixel electrode is a liquid crystal non-reverse region (abstract).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the space between the first data line and the periphery of the pixel electrode being in a liquid crystal reverse region and the spacing between the second data line and the periphery of the pixel electrode is a liquid crystal non-reverse region since one would be motivated to provide potential stability (col. 7, lines 11-20), which serves to suppress liquid crystal disclination that becomes a cause for coarse image appearance and residual image (col. 3, lines 29-34). Ultimately, this serves to provide a display with enhanced display quality without residual images (col. 3, line 34; abstract).

9. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over AAPA in view of Okada and Watanabe and in further view of Song (US. Patent No. 6,788,356).

10. As per claim 6, AAPA, when modified by Okada and Watanabe, discloses the LCD device as recited above, however, the reference fails to specifically disclose the width of the first light shielding layer being larger than the width of the second shielding layer.

Song discloses an LCD where the width of the first light shielding layer is larger than the width of the second shielding layer (col. 5, lines 25-62). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the width of the first light shielding layer is larger than the width of the second shielding layer since one would be motivated to minimize light reflected by the wirings in such a way that an aperture ratio is not negatively influenced (col. 5, lines 42-50). Furthermore, since side crosstalk is generated by the leakage of light irradiated at an angle in the area on the data line, forming a first light shielding layer having a greater width would block light to reduce lateral crosstalk (col. 6, lines 20- 27).

Accordingly, claim 6 would have been obvious.

- 11. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over AAPA in view of Okada and further in view of Song.
- 12. Regarding claim 7, AAPA, when modified by Okada, discloses the LCD

Application/Control Number: 10/696,463 Page 7

Art Unit: 2871

device as recited above, however, the reference fails to specifically disclose a repair line situated across the first shielding layer and the second shielding layer, where the repair ling partially overlaps the first shielding layer to provide a first repair point and the repair line partially overlaps the second shielding layer to provide a second repair point.

Song discloses an LCD having a repair line situated across the first shielding layer and the second shielding layer, where the repair ling partially overlaps the first shielding layer to provide a first repair point and the repair line partially overlaps the second shielding layer to provide a second repair point (col. 6, lines 41-67; fig. 1, ref. A,B,C,D).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a repair line situated across the first shielding layer and the second shielding layer, where the repair ling partially overlaps the first shielding layer to provide a first repair point and the repair line partially overlaps the second shielding layer to provide a second repair point since one would be motivated to provide the most effective means of gate and data line repair (col. 6, lines 60-65; col. 1, lines 40-44).

Accordingly, claim 7 would have been obvious.

Response to Arguments

13. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 2871

Conclusion

14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tarifur R. Chowdhury whose telephone number is (571) 272-2287. The examiner can normally be reached on M-Th (6:30-5:00) Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nelms C. David can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TRC August 03, 2006